



CITY OF XENIA DRINKING WATER CONSUMER CONFIDENCE REPORT 2014

Meeting the Challenge

We are proud to present our annual water quality report covering all testing performed between January 1 and December 31, 2014. We have dedicated ourselves to producing drinking water that meets all state and federal standards. We have a current, unconditioned license to operate our water system. We strive to adopt new methods for delivering the best quality drinking water to you. The City of Xenia, Xenia Township, residents and businesses in the area are involved in a source water protection program to preserve and protect the water supply.

Where Does My Water Come From?

Our City receives its drinking water from the Little Miami River Buried Aquifer. The well fields are lo-

cated near the intersection of U.S. Highway 68 and State Route 235. We have 11 active wells that can produce up to ten million gallons of water a day to process and supply your drinking water.

The aquifers have a high susceptibility to contamination. This is due to the sensitive nature of the aquifers location and potential contamination sources identified. Between 1991 and 2014 water quality data collected resulted in detectable levels of nitrate. Future contamination can be avoided by continuing to develop and implement protective measures.

More information is available in the City's Source Water Protection Report and Susceptibility Analysis, which can be obtained by calling Joe Bates at (937) 376-7269.

We are pleased to report that The City of Xenia's drinking water continues to meet all federal and state requirements!

The Water Treatment Plant:

The City of Xenia Water Treatment Plant (WTP) is an iron and manganese removal plant. These contaminants are removed to prevent staining of laundry and plumbing fixtures. The first part of this process is aeration. The ground water is aerated to remove naturally occurring hydrogen sulfide and to introduce more oxygen into the water where it combines with ionic forms of iron and manganese. The next stage of treatment is filtration. The iron and manganese compounds precipitate in the gravity fed filters. The last stage of treatment is disinfection. The filtered water is chlorinated. A small amount of a blended phosphate solution is added to prevent pipe corrosion and sequester metals in the distribution system. The water is then pumped to the distribution and storage system. A residual amount of disinfectant is required to be present in the distribution system for your protection.

The Xenia WTP does not "soften" the water. The water is considered very "hard" with a **total hardness** of near 400 mg/L (**23 grains per gallon**). We do not add fluoride to the water. The naturally occurring fluoride is approximately 20% of the therapeutic dose of 1 mg/L, used in the prevention of dental caries.

Who needs to take special precautions?

Some people are more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as someone with cancer who is undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders are more vulnerable. Some elderly and infants can be particularly at risk from infection. These people should seek advice about drinking water from their health care providers. The Environmental Protection Agency (EPA) and the Center for Disease Control (CDC) guidelines on the appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

What are the sources of contamination to drinking water?

The sources of drinking water, both bottle and tap, include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material. It can also pick up substances resulting from the presence of animal or human activity. A system of monitoring wells have been established to provide early warning of certain contaminants.

Contaminants that may be present in source water include:

- ◆ **Microbial contaminants**, such as viruses and bacteria, may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- ◆ **Inorganic contaminants**, such as salts and metals, can be naturally occurring or result from urban storm runoff, industrial or domestic waste water discharges, oil and gas production, mining, or farming.
- ◆ **Pesticides and herbicides** may come from a variety of sources such as agriculture, storm water runoff, and residential uses.
- ◆ **Organic chemicals**, including syn-

About your drinking water:

The EPA requires regular sampling to ensure drinking water safety. The City of Xenia conducted contaminant sampling for metals, fluoride, nitrate, radiologicals, volatile organic chemicals, total coliform bacteria, total chlorine, total trihalomethanes (TTHM's), and total haloacetic acids (HAA5) in 2014. Samples for lead and copper analysis were collected in 2013. Samples were collected for 8 different contaminants, most of which, were not detected in the City of Xenia Public Water System. The Ohio EPA requires us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though accurate, is more than one year old. Listed in the table is information on those contaminants that were found.

Two metals of concern found in drinking water are lead and copper. These two metals leach from the pipes and plumbing fixtures within the home itself. Homes built before 1950 may have lead water line service connections. Homes built before 1987 may have copper pipes with lead solder. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Xenia WTP is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the *Safe Drinking Water Hotline* at 800-426-4791 or at <http://www.epa.gov/safewater/lead>.

Public participation and comment are encouraged at regular meetings of the Xenia City Council which meets every 2nd and 4th Thursday of the month at City Hall, Located at 101 N. Detroit Street. For information about this report please contact Joe Bates, Water Treatment Supervisor, at (937) 376-7269

thetic and volatile organics, are by-products of industrial processes and petroleum production and may come from gas stations, fuel oil containers, urban storm water runoff, and septic systems.

- ◆ **Radioactive contaminants**, can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the Ohio and United States Environmental Protection Agencies (OEPA and USEPA) prescribe regulations which limits the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection of public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about the contaminants and potential health affects can be obtained by calling the EPA Safe Drinking Water Hotline at (800) 426-4791.



The Third Unregulated Contaminate Monitoring Rule (UCMR 3) List 1

UCMR 3 List 1	Collection Date	Sample Locations	Results	Units	PQL/MRL	Use or Environmental Source
Chlorate	6/25/14	Entry Point	122	ug/L	20.0	Agricultural defoliant or desiccant; disinfection byproduct; and used in production of chlorine dioxide.
Chlorate	6/25/14	Distribution	127	ug/L	20.0	
Molybdenum	6/25/14	Entry Point/ Distribution	2.2/2.1	ug/L	1/1	Naturally-occurring element found in ores and present in plants, animals and bacteria; commonly used form molybdenum trioxide used as a chemical reagent.
Strontium	6/25/14	Entry Point/ Distribution	420/420	ug/L	.3/.3	Naturally-occurring element; historically, commercial use of strontium has been in the faceplate glass of cathode-ray tube televisions to block x-ray emissions..
Chromium-6 ²	6/25/14	Entry Point	<0.030	ug/L	0.030	Naturally-occurring element; used in making steel and other alloys; chromium-3 or -6 forms are used for chrome plating, dyes and pigments, leather tanning, and wood preservation.
1,4-Dioxane	6/25/14	Entry Point	<0.070	ug/L	0.070	Cyclic aliphatic ether; used as a solvent or solvent stabilizer in manufacture & processing of paper, cotton, textile products, automotive coolant, cosmetics & shampoos.
1,1-Dichloroethane	6/25/14	Entry Point	<0.030	ug/L	0.030	Halogenated alkane; used as a solvent.
1,2,3-Trichloropropane	6/25/14	Entry Point	<0.030	ug/L	0.030	Halogenated alkane; used as an ingredient in paint, varnish remover, solvents and degreasing agents.
1,3-Butadiene	6/25/14	Entry Point	<0.10	ug/L	0.10	Alkene; used in rubber manufacturing & occurs as a gas.
Bromochloromethane (Halon 1011)	6/25/14	Entry Point	<0.060	ug/L	0.060	Used as a fire-extinguishing fluid, an explosive suppressant, and as a solvent in the manufacturing of pesticides.
Bromomethane (methyl bromide)	6/25/14	Entry Point	<0.20	ug/L	0.20	Halogenated alkane; occurs as a gas, & used as a fumigant on soil before planting, on crops after harvest, on vehicles & buildings, & for other specialized purposes.
Chlorodifluoromethane (HCFC-22)	6/25/14	Entry Point	<0.080	ug/L	0.080	Chlorofluorocarbon; occurs as a gas, and used as a refrigerant, as a low-temperature solvent, and in fluorocarbon resins, especially tetrafluoroethylene polymers.
Chloromethane (methyl chloride)	6/25/14	Entry Point	<0.20	ug/L	0.20	Halogenated alkane; used as foaming agent, in production of other substances, and by-product that can form when chlorine used to disinfect drinking water.
Chromium ¹	6/25/14	Entry Point/ Distribution	ND/ND	ug/L	0.2/ 0.2	Naturally-occurring element; used in making steel and other alloys; chromium-3 or -6 forms are used for chrome plating, dyes and pigments, leather tanning, and wood preservation.
Cobalt	6/25/14	Entry Point/ Distribution	ND/ND	ug/L	1/1	Naturally-occurring element found in the earth's crust and at low concentrations in seawater, and in some surface and ground water; cobaltous chloride was formerly used in medicine and as a germicide.
Vanadium	6/25/14	Entry Point/ Distribution	ND/ND	ug/L	0.2/ 0.2	Naturally-occurring elemental metal; used as vanadium pentoxide which is a chemical intermediate & a catalyst.
Perfluorooctanesulfonic acid (PFOS)	6/25/14	Entry Point	ND	ug/L	0.04	Perfluorinated aliphatic carboxylic acid; used for its emulsifier and surfactant properties in or as fluoropolymers (such as Teflon), fire-fighting foams, cleaners, cosmetics, greases and lubricants, paints, polishes, adhesives and photographic films.
Perfluorobutanesulfonic acid (PFBS)	6/25/14	Entry Point	ND	ug/L	0.09	Manmade chemical; used in products to make them stain, grease, heat and water resistant.
Perfluorohexanesulfonic acid (PFHxS)	6/25/14	Entry Point	ND	ug/L	.03	Manmade chemical; used in products to make them stain, grease, heat and water resistant.
Perfluoroheptanoic acid (PFHpA)	6/25/14	Entry Point	ND	ug/L	.01	Manmade chemical; used in products to make them stain, grease, heat and water resistant.
Perfluorononanoic acid (PFNA)	6/25/14	Entry Point	ND	ug/L	.02	Manmade chemical; used in products to make them stain, grease, heat and water resistant.
Perfluorooctanoic acid (PFOA)	6/25/14	Entry Point	ND	ug/L	.02	Perfluorinated aliphatic carboxylic acid; used for its emulsifier and surfactant properties in or as fluoropolymers (such as Teflon), fire-fighting foams, cleaners, cosmetics, greases and lubricants, paints, polishes, adhesives and photographic films.

UCMR 3 - Unregulated contaminants are those that don't yet have a drinking water standard set by USEPA. The purpose of monitoring for these contaminants is to help EPA decide whether the contaminants should have a standard. UCMR examines what is in the drinking water, but additional health information is needed to know whether these contaminants pose a health risk.

MRL - Minimum Reporting Level: Represent an estimate of the lowest concentration of a compound that can be quantitatively measured by members of a group of experienced drinking water laboratories.

PQL - Practical Quantitation Level defined as "the lowest achievable level of analytical quantitation during routine laboratory operating conditions within specified limits of precision and accuracy".

ND - None Detected.

ug/L - is the symbol that is used for Micrograms per liter which means one millionth of a gram per liter.

2014 TABLE OF DETECTED CONTAMINANTS

Microbiological	Collection Date	# of Positive Total Coliform Samples	# of Positive Fecal/E. Coli Samples	MCLG	MCL	Units	Violation	Likely Source of Contamination
Total Coliform (TCR)	Monthly	0	0	0	≥5%positive /month	#/ month	None	Naturally present in the environment.
Disinfectants and Disinfection By-Products	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Chlorine	Daily	1.3	0.96-1.3	MRDLG = 4	MRDL = 4	ppm	None	Water additive used to control microbes.
Total Trihalomethanes (TTHM) Results (ug/L)	February 2014	May 2014	August 2014	November 2014	Likely Source of Contamination.			
IDSE-004 Quarterly Results	10.44	13.85	24.15	14.77	By-product of drinking water disinfection.			
IDSE-004 - LRAA	NA	NA	NA	15.80	By-product of drinking water disinfection.			
DS-013 Quarterly Results	10.33	13.45	28.03	16.56	By-product of drinking water disinfection.			
DS-013 - LRAA	NA	NA	NA	17.09	By-product of drinking water disinfection.			
IDSE-003 Quarterly Results	11.71	16.00	41.97	16.53	By-product of drinking water disinfection.			
IDSE-003- LRAA	NA	NA	NA	21.55	By-product of drinking water disinfection.			
IDSE-005 Quarterly Results	9.50	12.93	13.95	14.57	By-product of drinking water disinfection.			
IDSE-005 - LRAA	NA	NA	NA	12.74	By-product of drinking water disinfection.			
CCR Report Values	Highest Compliance Value = 21.55 ug/L Range of Values = 12.74 to 21.55 ug/L			Results are below MCL of 80 ppb, No Violation				
Haloacetic Acids (HAA5)* Results (ug/L)	February 2014	May 2014	August 2014	November 2014	Likely Source of Contamination.			
IDSE-004 Quarterly Results	1.426	1.966	3.135	2.401	By-product of drinking water disinfection.			
IDSE-004 - LRAA	NA	NA	NA	2.232	By-product of drinking water disinfection.			
DS-013 Quarterly Results	1.615	2.228	2.873	2.985	By-product of drinking water disinfection.			
DS-013 - LRAA	NA	NA	NA	2.425	By-product of drinking water disinfection.			
IDSE-003 Quarterly Results	1.489	2.106	3.452	2.740	By-product of drinking water disinfection.			
IDSE-003- LRAA	NA	NA	NA	2.445	By-product of drinking water disinfection.			
IDSE-005 Quarterly Results	1.298	1.751	1.853	2.25	By-product of drinking water disinfection.			
IDSE-005 - LRAA	NA	NA	NA	1.788	By-product of drinking water disinfection.			
CCR Report Values	Highest Compliance Value = 2.445 ug/L Range of Values = 1.788 to 2.445 ug/L			Results are below MCL of 60 ppb, No Violation				
Inorganic Contaminants	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Barium	06/24/14	0.137	NA	2	2	mg/L	None	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Fluoride	06/24/14	0.218	NA	4	4.0	mg/L	None	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer & aluminum factories.
Nitrate [measured as Nitrogen]	04/15/14	.0992	NA	10	10	mg/L	None	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.
Radiologicals	Collection Date	Highest Level Detected	Range of Levels Detected	MCLG	MCL	Units	Violation	Likely Source of Contamination
Gross Alpha	06/24/14	ND	NA	0	15	pCi/L	None	Erosion of natural deposits.
Radium	06/24/14	ND	NA	0	5	pCi?L	None	Erosion of natural deposits.

AL - Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

ALG - Action Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.

LLRA - Locational Running Annual Average calculation with multiple sampling locations.

MCL - Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG - Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL - Maximum Residual Disinfectant Level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG - Maximum Residual Disinfection Level Goal. The level or a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

pCi/L - picocuries per liter

ppm - parts per million or mg/l: milligrams per liter is one ounce in 7,350 gallons of water.

ppb - parts per billion or mcg/l: micrograms per liter is one ounce in 7,350,000 gallons of water.

ND - Not detected at reporting limit.

Link to view the CCR Water Quality Report: <http://www.ci.xenia.oh.us/city-services/city-departments-2/utility-billing-division.html>.